Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A multi-branched structure compound encapsulating a light emitting material for an organic electroluminescent element,


wherein the light emitting material for the organic

electroluminescent element is a phosphorescent compound; and

a core linkage group of the multi-branched structure

compound is selected from the group consisting of the following

structures:



- 2. (Currently amended) The multi-branched structure compound of claim 1 having a substructure which exhibits [[an]] a positive hole transporting property.
- 3. (Original) The multi-branched structure compound of claim 1 having a substructure which exhibits an electron transporting property.

4-5. (Cancelled)

- 6. (Original) An organic electroluminescent element comprising at least one organic compound layer between an anode and a cathode, wherein at least one of the organic compound layer comprises the multi-branched structure compound of claim 1.
- 7. (Original) The organic electroluminescent element of claim 6 emitting white light.
- 8. (Original) A display comprising the organic electroluminescent element of claim 6.

Appl. No. 10/572,660 Reply to Office Action of April 27, 2010

- 9. (Original) An illuminating device comprising the organic electroluminescent element of claim 6.
- 10. (Original) A display comprising the illuminating device of claim 9 and a liquid crystal element as a display member.
- 11. (Currently amended) A method to produce a multi-branched structure compound comprising the step of: mixing a light emitting material for an organic electroluminescent element and the multi-branched structure compound in a solvent to encapsulate the light emitting material for an organic electroluminescent element in the [[a]] multi-branched structure compound.
- 12. (Original) The method of claim 11, wherein the light emitting material for the organic electroluminescent element has a higher affinity to the multi-branched structure compound than to the solvent.

- 13. (Currently amended) The method of claim 11, wherein the multi-branched structure compound has a substructure which exhibits [[an]] a positive hole transporting property.
- 14. (Original) The method of claim 11, wherein the multi-branched structure compound has a substructure which exhibits an positive hole transporting property.
- 15. (Original) The method of claim 11, wherein the light emitting material for the organic electroluminescent element is a fluorescent compound.
- 16. (Original) The method of claim 11, wherein the light emitting material for the organic electroluminescent element is a phosphorescent compound.